

Test Report

No.: SZTYR100313882/LP

Date: MAR 16, 2010

Page 1 of 5

HAPPY ARTS & CRAFTS (NINGBO) CO., LTD.
 HAPE INTERNATIONAL (NINGBO) LTD.
 9-27 NANHAI ROAD,
 DAGANG INDUSTRIAL CITY,
 BEILUN, NINGBO,
 CHINA P.C. 315800

The following samples were submitted and identified on behalf of the client as: PUZZLE HAUSTIERE / FARM ANIMALS STAND-UP PUZZLE; PUZZLE ZOOTIERE / WILD ANIMALS STAND-UP PUZZLE

Style / Item No. : 861373 / 861273; 861374 / 861274
 Manufacturer : HAPE INTERNATIONAL (NINGBO) LTD.
 Country of Origin : CHINA
 Country of Destination : GLOBAL
 Sample Quantity : 10 PCS
 Sample Receiving Date : MAR 11, 2010
 Testing Period : MAR 11, 2010 TO MAR 16, 2010
 Test Requested : For compliance with US Public Law 110-314 (Consumer Product Safety Improvement Act of 2008, CPSIA):
 Lead in paint / similar surface coating materials
 Lead in accessible substrate materials


Methods and Results : Please refer to next page(s).

Result Summary :

| Test Parameter | Conclusion |
|--|------------|
| CPSIA section 101(f) - Lead in paint/similar surface coating materials | PASS |
| CPSIA section 101(a)(2) - Lead in accessible substrate materials | PASS |

Signed for and on behalf of
 SGS-CSTC Ltd.

Ouyang Qin, Cansy
 Section Head



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, jurisdiction and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its issuance and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated, the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

SZTY 2409586

Test Report

No.: SZTYR100313882/LP

Date: MAR 16, 2010

Page 2 of 5

Test Results :

Lead in paint/similar surface coating material

Method: CPSC Test Method: CPSC-CH-E1003-09.

| Test item | 1 | 2 | 3 | 4 | 5 | 6 | 7 | Permissible Limit |
|-----------|------|------|------|------|------|------|------|-------------------|
| Lead (Pb) | ND | ND | ND | ND | ND | ND | ND | 0.009% |
| Comment | PASS | PASS | PASS | PASS | PASS | PASS | PASS | --- |

| Test item | 8 | 9 | 10 | 11 | 12 | 13 | Permissible Limit |
|-----------|------|------|------|------|------|------|-------------------|
| Lead (Pb) | ND | ND | ND | ND | ND | ND | 0.009% |
| Comment | PASS | PASS | PASS | PASS | PASS | PASS | --- |

| Test item | 14 | 15 | 16 | 17 | 18 | 19 | Permissible Limit |
|-----------|------|------|------|------|------|------|-------------------|
| Lead (Pb) | ND | ND | ND | ND | ND | ND | 0.009% |
| Comment | PASS | PASS | PASS | PASS | PASS | PASS | --- |

Sample Description:

1. Transparent lacquer coating on plywood
2. Red w/ transparent lacquer coating on plywood (Pattern)
3. Sky-blue w/ transparent lacquer coating on plywood (Pattern)
4. Yellow w/ transparent lacquer coating on plywood (Pattern)
5. Dull green w/ transparent lacquer coating on plywood (Pattern)
6. Dk. green w/ transparent lacquer coating on plywood (Pattern)
7. Green w/ transparent lacquer coating on plywood (Pattern)
8. Lt. green w/ transparent lacquer coating on plywood (Pattern)
9. White w/ transparent lacquer coating on plywood (Pattern)
10. Black w/ transparent lacquer coating on plywood (Pattern)
11. Brown w/ transparent lacquer coating on plywood (Pattern)
12. Chocolate w/ transparent lacquer coating on plywood (Pattern)
13. Orange w/ transparent lacquer coating on plywood (Pattern)
14. Lt. orange w/ Dk. pink (Pattern), Dk. brown (Logo), black (Lettering) & transparent lacquer coating on plywood
15. Pink w/ transparent lacquer coating on plywood (Pattern)
16. Dk. grey w/ transparent lacquer coating on plywood (Pattern)
17. Grey w/ transparent lacquer coating on plywood (Pattern)
18. Coffee w/ transparent lacquer coating on plywood (Pattern)
19. Lt. pink w/ transparent lacquer coating on plywood (Pattern)

Attention: To check the authenticity of testing / inspection report & certificate, pls. contact tel: (86-755)83071443 email: CN.Doccheck@sgs.com

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its inspection and is provided within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated, the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



Test Report

No.: SZTYR100313882/LP

Date: MAR 16, 2010

Page 3 of 5

| Test item | 20 | 21 | 22 | 23 | 24 | 25 | Permissible Limit |
|-----------|------|------|------|------|------|------|-------------------|
| Lead (Pb) | ND | ND | ND | ND | ND | ND | 0.009% |
| Comment | PASS | PASS | PASS | PASS | PASS | PASS | --- |

| Test item | 26 | 27 | 28 | 29 | 30 | 31 | Permissible Limit |
|-----------|------|------|------|------|------|------|-------------------|
| Lead (Pb) | ND | ND | ND | ND | ND | ND | 0.009% |
| Comment | PASS | PASS | PASS | PASS | PASS | PASS | --- |

| Test item | 32 | 33 | 34 | 35 | 36 | 37 | Permissible Limit |
|-----------|------|------|---------|------|------|------|-------------------|
| Lead (Pb) | ND | ND | 0.0023% | ND | ND | ND | 0.009% |
| Comment | PASS | PASS | PASS | PASS | PASS | PASS | --- |

Sample Description:

- 20. Lt. purple w/ transparent lacquer coating on plywood (Pattern)
- 21. Lt. grey w/ transparent lacquer coating on plywood (Pattern)
- 22. Green coating on hardboard (Pattern)
- 23. Brown coating on hardboard (Pattern)
- 24. Chocolate coating on hardboard (Pattern)
- 25. White coating on hardboard (Pattern)
- 26. Black coating on hardboard (Pattern)
- 27. Pink coating on hardboard (Pattern)
- 28. Orange coating on hardboard (Pattern)
- 29. Lt. orange coating on hardboard (Pattern)
- 30. Dk. grey coating on hardboard (Pattern)
- 31. Grey coating on hardboard (Pattern)
- 32. Yellow coating on hardboard (Pattern)
- 33. Coffee coating on hardboard (Pattern)
- 34. Lt. pink coating on hardboard (Pattern)
- 35. Lt. purple coating on hardboard (Pattern)
- 36. Lt. grey coating on hardboard (Pattern)
- 37. Red w/ dull green (Pattern), matt-black (Lettering) coating on hardboard

Note: - % = percentage by weight
 - 1% = 10000ppm (mg/kg)
 - ND = not detected
 - Method Detection Limit = 0.001%

Attention: To check the authenticity of testing / inspection report & certificate, pls. contact tel: (86-755)83071443 email: CN.Doccheck@sgs.com

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, jurisdiction and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its inspection only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated, the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



Test Report

No.: SZTYR100313882/LP

Date: MAR 16, 2010

Page 4 of 5

Lead in accessible substrate materials

Method (non-metallic materials): CPSC Test Method: CPSC-CH-E1002-08 'Standard Operation Procedure for Determining Total Lead (Pb) in Non-Metal Children Product'.

| Test item | 1 | 2 | Permissible Limit [#] |
|-----------|------|------|--------------------------------|
| Lead (Pb) | ND | ND | 0.03% |
| Comment | PASS | PASS | --- |

[#] Comment is based on the 0.03% limit requirement, effective 14 August, 2009. The requirements for lead in substrate in children's products is summarized below

| Scope | Requirement | Effective date |
|------------------------------|-------------|------------------|
| Lead in accessible substrate | ≤ 0.06% | 10 February 2009 |
| | ≤ 0.03% | 14 August 2009 |
| | ≤ 0.01% | 14 August 2011 |

Sample Description:

1. Cream plywood
2. Lt. brown hardboard

Note : - % = percentage by weight
 - 1% = 10000ppm (mg/kg)
 - ND = not detected
 - Method Detection Limit = 0.001%

Attention: To check the authenticity of testing / inspection report & certificate, pls. contact tel: (86-755)83071443 email: CN.Doccheck@sgs.com

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, jurisdiction and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its inspection only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated, the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

SZTY 2409589

Sample Photo:



SGS authenticate the photo on original report only

*** End of Report ***

Attention: To check the authenticity of testing /inspection report & certificate, pls. contact tel: (86-755)83071443 email: CN.Doccheck@sgs.com

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, jurisdiction and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its inspection and is not intended to be used for any other purpose within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated, the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

SZTY 2409590